

# **Wood Chipper**





## **WOOD CHIPPER**







### **WOOD CHIPPER: Quick Specs**

Model 8B

Operating weight 753 kg

Feeder opening 230 mm

Branch diameter up to 130 mm (Continuous)

Blades 4 reversible


Approved carriers All HF Machines



Eliminate tree limbs, branches and other debris quickly, safely and easily with the Bobcat wood chipper.

Reduces branch volume 10 to 1.








Bobcat Remote Attachment Control (RAC) system - This system allows the operator to start or stop the loader's engine and chipper rotation when standing beside the attachment.







- Automatic hydraulic feeder with load sensing system
- Feed roller speed control
- Reversible direction feed roller







Reversible and replaceable cutters









- 360° discharge chute with adjustable deflector
- Two mounting locations which allow material to be fed from the front or right-hand side of the loader



# **WOOD CHIPPER: Compatibility**

Description	P/N	Compact Tracked Loaders (CTL)							Skid Steer Loader (SSL)											
		MT55	T110	T590/ H	T650/ H	T770/ H	T870/ H	S70	S100	S130	S510	S530/ H	S550/ H	S570/ H	S590/ H	S630/ H	S650/ H	S770/ H	S850/ H	A770 /H
Chipper 8B	7117662			X*	X*	Χ*	X*					X*	Χ*	Χ*	Χ*	Χ*	Χ*	X*	Χ*	X*



<sup>\*</sup>High flow machines only

### **WOOD CHIPPER: Questions?**







# **THANK YOU**

