


Spare parts list

Hydraulic power packs



Contents

General information.....	5
Spare parts list.....	6
POD installed.....	6
Frame and cowl.....	8
Hoses and fittings.....	10
Valve block.....	12
Tank and engine.....	14
Tightening torque.....	16
Accessories.....	18
Hoses and couplings	18
Kits.....	19
Seal kit.....	19

General information

This spare parts list applies to the following:

Part number	Description
1807 0110 32	LP 13-30 P
1807 0110 35	LP 13-30 P OEU

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability. Any unauthorized use or copying of the contents or any part thereof is prohibited. This applies in particular to trademarks, model denominations, part numbers, and drawings.

Instructions for use


This spare parts list contains no safety regulations and is merely intended to assist in the ordering of spare parts.

For information about operating, servicing, or repairing, the relevant Safety and operating instructions must be consulted at all costs.

Please observe the safety instructions listed in the relevant Safety and operating instructions!


Spare parts list

POD installed




No.	Description	Remark	Quantity	Part number
1	Clutch wire		1	3377 0214 81
2	Nut	M8	3	3371 8207 22
3	Cover bushing assembly		1	3377 0214 83
4	Screw	M5 x 10 mm	1	0194 1204 00
5	Spring		1	3377 0214 90
6	Washer	Ø6	4	3377 0004 07
7	Screw	M6 x 12 mm	4	3377 1232 06
8	POD support		1	3377 0214 82
9	POD subassembly		1	3377 0210 90
10	POD complete		1	3377 0047 74
11	Knob		1	3377 0057 30

Frame and cowl




No.	Description	Remark	Quantity	Part number
1	Edge trim	L=194 mm	1	3377 0214 87
2	Air filter cover		1	3377 0210 88
3	Edge trim	L=595 mm	1	3377 0214 84
4	Edge trim	L=257 mm	1	3377 0214 86
5	Main cover		1	3377 0210 89
6	Cap		2	3377 0057 04
7	Nut	M6	2	3371 8147 16
8	Washer	n6	11	3377 0004 07
9	Screw	M6 x 12 mm	11	3377 1232 06
10	Cover control lever		1	3377 0214 75
11	Nut	M10	2	3371 8067 02
12	Washer	M10	12	3377 1000 10
13	Screw	M10 x 50 mm	6	3377 1200 10
14	Foldable handle assembly		1	3377 0210 85
15	Panel sticker		1	3371 8973 05
16	Front Panel		1	3377 0210 86
17	Main frame		1	3377 0210 82
18	Tank chassis complete		1	3377 0210 81
19	Rubber foot		2	3377 0004 05
20	Screw	M10 x 14 mm	4	3377 0004 06
21	Washer	3/8 in.	2	3377 1040 10
22	Wheel		2	3377 0004 12
23	Screw	M10 x 20 mm	2	3378 3025 12
24	Rear frame		1	3377 0210 83
25	Rear plate		1	3377 0214 80
26	Edge trim	L=602 mm	1	3377 0214 85
27	Washer	n5	13	3377 0004 58
28	Rivet	4.8 x 14 mm	13	3377 0218 13
29	Receptacle		4	3377 0218 17
30	Washer		8	3377 0218 19
31	Spring		4	3377 0218 20
32	Stud		4	3377 0218 18

Hoses and fittings




No.	Description	Remark	Quantity	Part number
1	Seal ring	Bonded seal n21.5	3	3371 8057 14
2	Banjo bolt	G 1/2 in.	1	3377 0007 25
3	High pressure hose		1	3377 0001 12
4	Hose	3/16 in. 1/8 in. BSP - 1/8 in. BSP	1	3377 0506 94
5	Hose clip		6	3377 0007 91
6	Cooler return line		1	3377 0004 55
7	Hose fitting	3/4 in. Hose barb - 3/4 in. BSP	1	3377 0004 63
8	Suction hose		1	3377 0004 49
9	Hose fitting	3/4 in. Hose barb - 1/2 in. BSP, Male	1	3377 0004 61
10	Cooler feed line		1	3377 0004 46
11	Hose fitting	1/2 in. Hose barb - 3/4 in. BSP	1	3377 0004 62
12	Oil cooler		1	3377 0057 02
13	Screw	M6 x 12 mm	4	3377 1232 06
14	Washer	n6	8	3377 0004 07
15	Nut	M6	4	3377 1100 06

Valve block



No.	Description	Remark	Quantity	Part number
1	Sight glass		1	3377 0050 72
2	Nut	M5	2	0266 2107 00
3	Clutch wire		1	3377 0214 81
4	Control lever		1	4700 0017 39
5	Screw	M5 x 16 mm	2	0216 1957 59
6	Control lever		1	3377 0214 79
7	Washer	Ø6	1	3377 0004 24
8	Screw	M6 x 30 mm	1	4700 5080 18
9	Screw	M8 x 16 mm	1	3377 1215 08
10	Sliding plate		1	3377 0214 77
11	Roll pin	Ø4 x 16	3	3377 0136 04
12	Bond seal	1/4 in.	1	3377 0161 29
13	Adapter	14M-14F	1	3377 0214 88
14	Filter gauge complete		1	3377 0050 67
15	Pressure relief valve		1	3377 0051 72
16	Filter washer		1	3377 0005 88
17	Seal ring	3/4 in. UNF	4	3377 0160 19
18	Adapter	3/4 in. UNF-1/2 in. BSP	2	3377 0214 64
19	Screw	M5 x 10 mm	1	3377 1210 05
20	Seal ring	Ø5 Ø9 x 1 mm	1	3377 0051 13
21	Oil filter	25 micron	1	3377 0050 75
22	Filter adapter		1	3377 0052 63
23	Nipple	1/2 in. BSP-3/4 in. JIC	1	3377 0001 13
24	Seal ring	1/8 in. BSP	1	3377 0161 25
25	Adaptor	02-02 BSP, male	1	3377 0004 17
26	Hose	1/2 in. Hose barb - 1/2 in. BSP, male	1	3377 0004 33
27	Valve block		1	3377 0214 14
28	Washer	5/8 in.	1	3377 1000 16
29	Thermostat end cap		1	3377 0040 84
30	Screw	M8 x 30 mm	3	3377 1220 08
31	Nut	M8	3	3377 1110 08
32	Tank chassis complete		1	3377 0210 81
33	By-pass valve		1	3377 0047 47
34	Clamp plate		1	3377 0040 50
35	Seal		1	3377 0040 51
36	Locking ring	Ø36 x 1.5 mm	1	3377 0051 28
37	Thermostat complete		1	3377 0050 82
38	Screw	M5 x 8 mm	1	3377 0004 18
39	O-ring	Ø9.6 x 2.4 mm	1	3377 0004 16
40	Spool		1	3377 0214 89
41	Cam		1	3377 0214 76
42	Screw	M4 x 16-12.9 mm	1	0211 1173 00
43	Tube		1	3377 0214 78

Tank and engine



No.	Description	Remark	Quantity	Part number
1	Nut	M10	4	3371 8067 02
2	Seal		1	3377 0000 69
3	Spacer ring		1	3377 0002 50
4	Screw	M5 x 16 mm	3	3377 0004 01
5	Seal		1	3377 0004 03
6	Washer	Ø6	6	3377 0004 07
7	Screw	M4 x 4 mm	1	3377 0004 13
8	Screw	M8 x 10 mm	2	3377 0004 15
9	Screw	3/8 in. - UNC 83 mm	4	3377 0004 20
10	Screw	M10 x 70 mm	4	3377 0004 36
11	Distance bushing		1	3377 0004 64
12	Washer	3/8 in.	1	3377 0004 65
13	Screw	3/8 in. x 51 mm	1	3377 0004 66
14	Washer	Ø8	2	3377 0004 69
15	Screw	M8 x 35 mm	4	3377 0004 77
16	Washer	Ø8	8	3377 0005 03
17	Cotter		1	3377 0005 69
18	Pump	10cc	1	3377 0007 38
19	Lock plate		2	3377 0007 92
20	Engine	Honda GX390QX	1	3377 0008 13
21	Pump plate		1	3377 0015 35
22	Fan		1	3377 0026 21
23	Fan inlet ring		1	3377 0026 85
24	Engine shaft extension		1	3377 0046 67
25	Spacer		2	3377 0047 20
26	Rubber grommet		2	3377 0050 87
27	Engine half coupling		1	3377 0051 68
28	Coupling spider		1	3377 0051 69
29	Pump half coupling		1	3377 0051 71
30	Filler cap		1	3377 0052 59
31	Tank chassis complete		1	3377 0210 81
32	Cover upper		1	3377 0214 66
33	Lifting eye		1	3377 0214 68
34	Washer	M10	8	3377 1000 10
35	Nut	M8	4	3377 1110 08
36	Screw	M8 x 16 mm	4	3377 1215 08
37	Screw	M6 x 12 mm	11	3377 1232 06
38	Screw	5/16 in. - UNC 25 mm	2	3377 5007 16
39	Spring		1	3377 0004 14

Tightening torque

Description	Tightening torque (Nm)	Remark	Part number
Screw	40	M10 x 50 mm, Use LOCTITE® 243™	3377 1200 10
Screw	40	M10 x 20 mm, Use LOCTITE® 243™	3378 3025 12
Screw	6	M5 x 16 mm	3377 0004 01
Screw	6	M6 x 12 mm, Use LOCTITE® 243™	3377 1232 06
Sight glass	20		3377 0050 72
Screw	40	M10 x 14 mm, Use LOCTITE® 243™	3377 0004 06
Fitting 06	60		3371 8037 07
Screw	30	M10 x 14 mm, Use LOCTITE® 243™	3377 0004 06
Screw	28	M8 x 35 mm, Use LOCTITE® 243™	3377 0004 77
Screw	28	M8 x 16 mm, Use LOCTITE® 243™	3377 1215 08
Screw	15	M8 x 10 mm	3377 0004 15
Screw	47	UNC 3/8 in. x 51 mm, Use LOCTITE® 243™	3377 0004 10
Screw	15	M10 x 40 mm, Use LOCTITE® 243™	3377 1210 10
Screw	47	M8 x 20 mm	3371 8207 21
Screw	15	M10 x 70 mm, Use LOCTITE® 243™	3377 0004 36
Screw	15	M10 x 20 mm	3371 8157 22
Screw	5	M6 x 25 mm	3377 5007 19
Stop screw	5	M4 x 4 mm	3377 0004 13
Screw	5	M5 x 16 mm	3377 0004 01
Adaptor	30	3/4 in. UNF - 1/2 in. BSP, Use LOCTITE® 243™	3377 0214 64
Screw	5	M5 x 10 mm, Use LOCTITE® 243™	3377 1210 05
Pressure relief valve	30		3377 0051 72
Filter gauge, complete	5		3377 0050 67
Adaptor 02-02	10	BSP Male, Use LOCTITE® 243™	3377 0004 17
Hose fitting	30	1/2 in. Hose barb - 1/2 in. BSP Male	3377 0004 33
Screw	5	M5, Use LOCTITE® 243™	3377 0004 14
Handle	5	M6, Use LOCTITE® 243™	3377 0004 59
Plug	5	Rc 1/4 in.	3371 8131 41
Nut	10	M8	3377 1110 08
By-pass valve	30		3377 0047 47
Fitting 02 with seal	5	Use LOCTITE® 243™	3371 8177 40
Quick release coupling	60	1/2 in. Flat-face Male	3371 8051 34
Quick release coupling	60	1/2 in. Flat-face Female	3371 8051 33
Screw	5	M6 x 35 mm, Use LOCTITE® 243™	3377 0004 22
Nut	5	M6	3377 0004 23
Hose	15		3377 0506 94
Adaptor 08-06	30	BSP Male - BSP Male	3377 0004 32
High pressure hose	25		3377 0214 65
Hose clip	5	Ø21/15 mm Ø0.83/0.59 in.	3377 0007 90

Description	Tightening torque (Nm)	Remark	Part number
Hose clip	5	Ø19/12 mm Ø0.75/0.47 in.	3377 0007 89
Elbow hose fitting	30	½ in. Hose barb - ½ in. BSP Male	3377 0004 27
Hose fitting	30	½ in. Hose barb - ½ in. BSP Male	3377 0004 33
Twin hose	45	Ø12.5 mm Length = 7 m, BSP Male - BSP Female Ø½ in. Length = 23 ft	3371 8030 55

LOCTITE is a registered trademark of Henkel Corporation. 243 is a trademark of Henkel Corporation.

Accessories

Hoses and couplings

Description	Remark	Quantity	Part number
Twin hose, complete	Ø ½ in. Length = 276 in. Ø 12.5 mm Length = 7 m	1	3371 8010 87
Seal ring	Bonded seal ½ in. BSP	4	3371 8057 14
Quick-release coupling	Female ½ in. BSP	2	3371 8051 33
Quick-release coupling	Male ½ in. BSP	2	3371 8051 34
Protective cap	Female	2	3371 8057 33
Protective cap	Male	2	3371 8057 32
Twin hose	Ø ½ in. Length = 276 in. Ø 12.5 mm Length = 7 m	1	3371 8030 52
Test equipment		1	3371 8011 54

Kits

Seal kit

Description	Remark	Quantity	Part number
Seal kit	For POD cylinder	1	3377 0001 21
Bonded seal		1	3377 0161 29
O-ring	Ø5 x 1.5 mm Ø0.20 x 0.06 in.	1	3371 8177 17
Bonded seal		1	3377 0163 75
Seal	Ø6/Ø13 x 5 mm Ø0.24/Ø0.51 x 0.20 in.	4	3377 0007 30
Seal	Ø6/Ø13 x 3 mm Ø0.24/Ø0.51 x 0.12 in.	1	3377 0007 32
Locking ring		1	3377 0007 33

