

light on your work



X-BATTERY
4x100W LED - 7M



TRIME
Lighting Tower Specialist



X-BATTERY 4x100W LED- 7M

Our engineers know that the market needs a lighting tower that is rugged, long lasting and safe. The X-BATTERY has been created beginning from these characteristics. It is the best solution to your needs and guarantees 2000 sqm of illuminated area. 22 units can be loaded on a standard truck. To all of this, we added the technology that allows for maximum fuel efficiency and reliability.



7 m



740Kg



340°



2000 sqm



battery

- Multi-directionally adjustable and tiltable floodlights
- 5 sections manual vertical tower 7m, 340° rotatable
- Standard timer for machine power on and off
- Galvanized metalworks
- 80 µm powder coating
- Very compact dimensions for easy handling & transportability, up to 22 units per truck
- Central lifting eye longitudinal and transversal forklift pockets for effective handling
- Plug & play, colour coded cables and connectors
- Guided main coiled cable to avoid damage during tower operation
- Certified wind stability up to 110 km/h
- 4 height adjustable stabilizers
- On board levels for guidance during stabilization
- Running time 36h (optional 72h)
- 24 volt DC Battery
- Floodlights 4x100W
- Recharging in 12 hours
- 230V 1PH Battery charger built-in



APPLICATIONS



Special events



Rural & hard to reach areas



Emergency response




Construction & work sites



Gas, oil & mining operations



Military applications



22
Units Per Truck



You can place 22 units on a single vehicle thanks to one of the compactest footprint on the market.

LED
TECHNOLOGY
2000 sqm

100%
made in ITALY

leader
in sustainability

easy
to Handle

AGM BATTERY

SAFETY VERTICAL MAST

GALVANIZED BODY
DURABLE ANTI-CORROSION
PROTECTION

WORKING TIME 36/72 H


own construction site
building maintenance
danger project repairing
tower structure property
structure construction forbidden
city tower caution lower
industrial
repairing site
downtown
building
danger
progr

technical data

Dimensions & weight		Battery	
Dimensions min. (mm)	1200x1200x2300	Model	Trime
Dimensions max. (mm)	2500x2500x7000	Type	AGM
Total weight	740 Kg	Volt	24
Features		Running time	36h
Rotation	340°	Recharging time	12 h
Floodlights	4x100W	230V 1PH Battery charger built-in	
Lamps	LED		
Timer	Standard		
Options	Extra 24 volt DC		
	Battery Pack X Extra 36h (total 72h)		

Standard load delivery



22 sets



Units Per Truck

Illuminated area (5 lux min.)

2000 sqm



TRIME
Lighting Tower **Specialist**

TRIME s.p.a.

Strada per Robecco, snc

20081 Cassinetta di Lugagnano (MI) - Italy

Tel. +39 02 942 1724

www.trime.it - info@trime.it